






TABLE OF CONTENTS

INTRODUCTION	3
ABOUT VALVOLINE	4
VALVOLINE™ PRODUCTS	6
PRODUCT OVERVIEW	28





ABOUT VALVOLINE

OUR VALUES, VOW & VISION

Middle of the road is simply not good enough. As a specialized maintenance company, we develop premium products. But we also have to be extraordinary beyond products.

OUR VALUES

- > It all starts with our people
- > Safety is always our priority
- > We are committed to winning... the right way
- > We work hard, celebrate success and have fun
- > We strive for greatness

OUR VOW

Our vow is to bring "Hands-On Expertise" for the benefit of our customers every day, moving the business forward with speed and excellence.

OUR VISION

We are building the world's leading engine and automotive maintenance business. We will accelerate growth around the world by increasing our focus and investment in:

- > The Valvoline brand, built on superior products and service
- > Technology that enables speed, innovation and increased efficiency in every aspect of our business
- > Strong value-adding relationships with our channel partners

KEEPING THE WORLD MOVING SINCE 1866™







PERFORMANCE GUARANTEE

Performance is the only proof of product quality. With the Valvoline Performance Guarantee, Valvoline assures that its products will perform.

- 1 Valvoline warrants that products will meet the applicable specifications provided by Valvoline for each of our products. The wide range of Valvoline products features individual formulations that meet and, in some cases, exceed the latest industry and vehicle OEM specifications.
- Valvoline only uses the highest quality base oils and the most technologically advanced additive systems to provide our customers with lubricants of unsurpassed quality.
- 3 Valvoline products are proven to provide added performance, longer life and better protection for your vehicle.
- 4 Furthermore, Valvoline tests each batch of oil during the blending process. On-site quality assurance coordinators make certain that product specifications are maintained without exception.



VALVOLINEEUROPE.COM

VALVOLINE MOTORCYCLE

₹ E	ENGINE OILS	8
F	OUR STROKE ENGINE OILS	8
Sy	ynPower™ 4T 10W-50	8
Sy	ynPower 4T 10W-40	8
Sy	ynPower 4T 10W-30	8
Sy	ynPower 4T 5W-40	9
Di	uraBlend™ 4T 10W-40	9
Di	uraBlend 4T 15W-50	9
Di	uraBlend 4T 20W-50	9
M	lotorcycle Oil 4T 10W-40	9
M	lotorcycle Oil 4T 20W-50	9
Т	WO STROKE ENGINE OILS	10
Sy	ynPower 2T	10
Ra	acing 2T Blue	10
Di	uraBlend 2T	11
Di	uraBlend Scooter 2T	11

FORK OILS	12
SynPower Fork Oil 5W	12
SynPower Fork Oil 10W	12
SynPower Fork Oil 15W	12

CHAIN LUBRICATION	13
White Synthetic Chainlube	13
Chain & Cable Lube	13

BRAKE & CLUTCH FLUIDS 14	
Brake & Clutch Fluid DOT 5.1	14
Brake & Clutch Fluid DOT 4	14
Brake & Clutch Fluid DOT 3	15

BIKE CARE MAINTENANCE 16	
	4.0
Brake Cleaner	16
Carburettor Cleaner	16
Engine Cleaner	16
Clean Tronic	17
Multi Spray	17
High Pressure Lubricant + PFTE	17

KEEPING THE WORLD MOVING SINCE 1866^{TM}

PRODUCT CATALOG

* BIKE CARE CLEANING	18
Penetrating Oil	18
Copper Spray	18
Motor Start	18
Silicone Spray	19
Cockpit Spray	19
Zinc Spray	19
Glass Cleaner	19
Proshine Wax	19

	22
Multipurpose Synthetic 2 Multipurpose Complex Red 2 Multipurpose Lithium EP 2 Multipurpose Moly 2 Multipurpose Lical 2/3 White Grease Copper Compound	22 22 22 23 23 23 23

SERVICE ADDITIVES	20
Cooling System Cleaner	20
Cooling System Stop Leak	20
Petrol System Cleaner	21
Petrol System Protector	21

(I)	COOLANTS & AIRFILTER PRODUCTS	24
	Air Filter Oil Air Filter Cleaner MaxLife Coolant 50/50 Ready-to-Use	24 24 24

TECTYL™ PROTECTIVE PRODUCTS	E 25
Tectyl 190 Black	25
Tectyl 190 Grey	25
Tectyl Multi Purpose 506	25

VALVOLINEEUROPE.COM

FOUR-STROKE ENGINE OILS

Added performance for high-powered engines





SynPower[™] 4T 10W-50

- > Ultimate performance full synthetic engine oil for four-stroke motorcycle engines
- > Optimised wet-clutch performance
- > Fully complies with the latest JASO specifications
- > Provides excellent high and low temperature wear protection under all riding conditions

	API SN, JASO T903-MA2	
1 L	862067	
4 L	796017	
60 L	796016	
208 L	796015	



SynPower 4T 10W-40

- > Ultimate performance full synthetic engine oil for four-stroke motorcycle engines
- > Optimised wet-clutch performance
- > Fully complies with the latest JASO specifications
- > Provides excellent high and low temperature wear protection under all riding conditions

API SN, JASO T903-MA2		
1 L	862066	
4 L	VE14007	
60 L	861866	
208 L	VE14018	



SynPower 4T 10W-30


- > Ultimate performance full synthetic engine oil for four-stroke motorcycle engines
- > Optimised wet-clutch performance
- > Fully complies with the latest JASO specifications
- > Provides excellent high and low temperature wear protection under all riding conditions

API SM, SN, JASO T903-MA2		
1 L	861911	
4 L	861870	
60 L	861867	
208 L	861869	



SynPower 4T 5W-40

- > Ultimate performance full synthetic engine oil for four-stroke motorcycle engines
- > Optimised wet-clutch performance
- > Fully complies with the latest JASO specifications
- > Provides excellent high and low temperature wear protection under all riding conditions





DuraBlend™ 4T 10W-40

- > High performance semi synthetic engine oil for four-stroke motorcycle engines
- > Optimised wet-clutch performance
- > Officially approved according to latest JASO specifications
- > Provides excellent high and low temperature wear protection under all riding conditions

API SL, JASO T903-MA2		
1 L	862061	
4 L	VE14207	
60 L	VE14217	
208 L	VE14218	



DuraBlend 4T 15W-50

- > High performance semi synthetic engine oil for four-stroke motorcycle engines
- > Optimised wet-clutch performance
- > Officially approved according to latest JASO specifications





DuraBlend 4T 20W-50

- > High performance semi synthetic engine oil for four-stroke motorcycle engines
- > Optimised wet-clutch performance
- > Officially approved according to latest JASO specifications
- > Optimised high temperature viscosity and wear protection performance in air cooled V-Twin engines

API SL, JASO T903-MA2	
1 L	862063
60 L	882006
208 L	732928



Motorcycle Oil 4T 10W-40

- > High quality conventional motorcycle oil for four-stroke engines for which API SG specification is recommended
- > Very suitable for the lubrication of air cooled V-Twin engines
- > Provides protection against wear under all operating conditions
- > Wet clutch compatible

	API : SG	
11	873812	



Motorcycle Oil 4T 20W-50

- > High quality conventional motorcycle oil for four-stroke engines for which API SG specification is recommended
- > Very suitable for the lubrication of air cooled V-Twin engines
- > Provides protection against wear under all operating conditions
- > Wet clutch compatible

API : SG		
1 L	879962	

TWO-STROKE ENGINE OILS

Added performance for high-powered engines





SynPower 2T

- > Ultimate performance full synthetic, lowsmoke engine oil for all two-stroke motorcycle engines
- > Provides exceptional oil-film strength to protects against wear and corrosion
- > Pre-diluted for easier mixing and may be used for both injector and pre-mix applications
- > Can be used with fuel/oil ratios as specified by the engine manufacturer up to a maximum of 100:1

API TC, JASO FD, ISO L-EGD

862065



Racing 2T Blue

- > High performance full synthetic motor oil for water cooled two-stroke motorcycle racing engines
- > Specially developed to protect and perform under the most severe racing conditions
- > Provides smooth throttle operation even wet circumstances
- > Formulated with a blue color for visual identification when mixed

CIK-FIA agreed lubricant

867952



DuraBlend 2T

- > High performance semi synthetic low smoke motor oil for all two-stroke motorcycle engines
- > Provides optimum performance, helps keep the engine clean and prevents scuffing and ring sticking
- > Can be used with fuel/oil ratios as specified by the engine manufacturer up to a maximum of 100:1

API TC, JASO FD, ISO L-EGD

l L

862010



DuraBlend Scooter 2T

- > High performance semi-synthetic low smoke engine oil for all two-stroke scooter engines
- > Provides optimum performance to keep the engine clean and prevent scuffing and ring sticking
- > Pre-diluted for easier mixing and may be used for both injector and pre mix applications
- > Can be used with fuel/oil ratios as specified by the engine manufacturer up to a maximum of 100:1

API TC, JASO FD, ISO L-EGD

1 L

862064

FORK OILS

Excellent protection, superior performance






SynPower Fork Oil 5W

- > A light grade synthetic motorcycle suspension oil formulated to provide smooth fork action and optimum damping under the most demanding riding conditions including off road applications
- > Exceptional viscometric performance provides smooth operational characteristics across an extended operational range
- > Protects the suspension system against wear, corrosion and oxidation and has an excellent seal compatibility to extend seal life

Suitable for all motorcycle suspension systems where an SAE 5W is recommended

795859





- > Exceptional viscometric performance provides smooth operational characteristics across an extended operational range
- > Protects the suspension system against wear, corrosion and oxidation and has an excellent seal compatibility to extend seal life

Suitable for all motorcycle suspension systems where an SAE 10W is recommended

795860



- > A heavier grade synthetic motorcycle suspension oil formulated to provide smooth fork action and optimum damping under the most demanding riding conditions including off road applications
- > Exceptional viscometric performance provides smooth operational characteristics across an extended operational range
- > Protects the suspension system against wear, corrosion and oxidation and has an excellent seal compatibility to extend seal life

Suitable for all motorcycle suspension systems where an SAE 15W is recommended

795881







White Synthetic Chainlube

- > For all chains in on-road or off-road vehicles
- > 0-ring and X-ring safe
- > Ensures maximum chain and sprocket life
- > Easy application with visible indication (white film)
- > Ready quickly (10-15 minutes after application)
- > Excellent bonding to metals
- > Maximum anti-wear protection

100 ML	VE54321 *
400 ML	VE54322 **

- * : GB, DE, NL, FR, PL, NO, FI, SE, EE, IT ** : GB, DE, NL, FR, ES, PT, IT, PL, EE, FI, DK, NO, SE, GR, HR, TR, RU/UA, KZ, IL, CZ. HU, GCC



Chain & Cable Lube

- > Chain & Cable Lube with water displacer technology extends the life of chains and cables and will not harm rubber seals. An easy to apply, semi-synthetic lubricant for all chains and cables of motorcycles, mopeds, bicycles, go-karts, chainsaws, etc.
- > The synthetic components create a long-lasting lubricating and protecting film on the chain sprockets and/or the cable to ensure maximum chain and sprocket life
- > Powerful protective film repels dirt, grime, mud, cold, hot and salt water

400 ML

VE921*

* : GB, DE, EE, FI, DK

CHAIN LUBRICATION

Great adhesion, excellent mileage



BRAKE & CLUTCH FLUIDS

Safety first with high quality fluids





Brake & Clutch Fluid DOT 5.1

- > Suitable for modern motorcycles with ABS and ASR anti-block and antislip systems
- > High dry-boiling point and can be used at very high and very low-temperatures (270°C)

FMVSS 116 SAE J. 1704, ISO 4925

L VE58024



Brake & Clutch Fluid DOT 4

- > Developed for modern motorcycle hydraulic brake systems
- > High dry-boiling point (265°C)

FMVSS 116 D0T4 SAE J. 1704. ISO 4925 CLASS 4

500 ML	841592
1 L	841593
5 L	841594





Brake & Clutch Fluid DOT 3

- > Developed for older motorcycle hydraulic brake systems
- > High dry-boiling point (244°C)

FMVSS 116 D0T3 SAE J. 1703. ISO 4925 CLASS 3

500 ML	841201
1 L	841202
5 L	841203

BIKE CARE MAINTENANCE

Fast and effective solutions for motorcycle maintenance





Brake Cleaner

- > Brake Cleaner removes brake fluid, grease, oil and brake dust instantly
- > Suitable for brake parts, pads, linings, drums, rotors, calipers and springs
- > Leaves no residue
- > Non-flammable and non-conductive

500 ML	745935 *
500 ML	745936 **

- * : GB, DE, NL, FR, EE, FI **: GB, DE, ES, PT, IT, PL, DK, NO, SE, GR, HR, TR, RU/UA, KZ, IL, CZ, HU, GCC



Carburettor Cleaner

- > Carburettor Cleaner provides powerful cleaning of gum, varnish, carbon and grime in a formula that meets VOC regulations
- > Effective cleaners leave no deposits
- > Cleans throttle body, carburettors and choke
- > Contains no chlorinated solvents
- > Safe for oxygen sensors and
- catalytic converters

VE54100 * 500 ML

 $^{\star}~:$ GB, DE, NL, FR, ES, PT, IT, PL, EE, FI, DK, NO, SE, GR, HR, TR, RU/UA, KZ, IL, CZ, HU, GCC



Engine Cleaner

- > Engine Cleaner quickly penetrates grease, dirt, oil and grime to swiftly remove contaminants
- > Removes emulsified oil and dirt
- > Cleans engine parts
- > All purpose degreaser
- > Safe for electrical and engine components

500 ML

VE54240 *



Clean Tronic

- > Clean Tronic cleans, protects and lubricates electrical contacts in a single package
- > Eliminates the need for more than
- one product
- > Removes contaminants effectively
- > Protects against rust and corrosion

400 ML

750703 *

 $^{\star}~:$ GB, DE, NL, FR, ES, PT, IT, PL, EE, FI, DK, NO, SE, GR, HR, TR, RU/UA, KZ, IL, CZ, HU, GCC



Multi Spray

- > Multi Spray is a blend of fast-acting superpenetrating solvents that evaporate, leaving a thin transparent protective film, rapidly loosens corroded fastenings and penetrates quickly. Annoying squeaks are silenced by friction-reducing lubricants. Cleans and protects all metals from rust and corrosion. Use to loosen, dry, protect, lubricate and clean
- > Penetrates, loosens, lubricates, and protects metal parts from rust and corrosion
- > Dries wet ignitions
- > Preserves battery terminals from corrosion

400 ML

VE54330 *

 $^{\star}~:$ GB, DE, NL, FR, ES, PT, IT, PL, EE, FI, DK, NO, SE, GR, HR, TR, RU/UA, KZ, IL, CZ, HU, GCC



High Pressure Lubricant + PFTE

- > High Pressure Lubricant protects
- metal parts against wear and corrosion
- in extreme conditions
- > The freshly sprayed product reaches every square millimeter
- > Contains PTFE for smooth lubrication
- > Performs over a wide temperature range between -50°C to +250°C

500 ML

VE54140 *

BIKE CARE CLEANING

Top quality care solutions to maintain perfect appearance





Penetrating Oil

- > Penetrating Oil, effectively loosens and lubricates corroded parts and threads
- > Frees bolts, nuts and other fasteners
- > Special lubricants eliminate squeaks
- > Provides long lasting protection

400 ML

750386 *

 $^{\star}~:$ GB, DE, NL, FR, ES, PT, IT, PL, EE, FI, DK, NO, SE, GR, HR, TR, RU/UA, KZ, IL, CZ, HU, GCC



Copper Spray

- > Copper Spray protects seals and threads from the damaging effects of moisture
- > Removes nuts and bolts easily
- > Performs over an extremely wide temperature range (-30°C to +1200°C)

400 ML

750454 *

* : GB, DE, NL, FR, ES, PT, IT, PL, EE, FI, DK, NO, SE, GR, HR, TR, RU/UA, KZ, IL, CZ, HU, GCC



Motor Start

- > Motor Start provides smooth starts in a variety of weather conditions
- > Starts motorcycle petrol engines quickly
- > Reduces power loss of batteries
- > Also works on lawnmowers, trimmers, chainsaws etc.


400 ML

752591 *



Silicone Spray

- > Silicone Spray is a light duty lubricant that lubricates, waterproofs and protects, leaving no sticky residue
- > Non-staining
- > Eliminates squeaks and sticking
- > Suitable for rubber mountings, slide fittings, hinged fittings



* : GB, DE, NL, FR, ES, PT, IT, PL, EE, FI, DK, NO, SE, GR, HR, TR, RU/UA, KZ, IL, CZ, HU, GCC



Cockpit Spray

- > Cockpit Spray restores that new bike look without leaving a sticky coating
- > Anti-static film repels dust
- > Restores fading and cracking of vinyls
- > Shields against ultraviolet damage
- > New silicon-free formula

400 ML 750586 *

: GB, DE, NL, FR, ES, PT, IT, PL, EE, FI, DK, NO, SE, GR, HR, TR, RU/UA, KZ, IL, CZ, HU, GCC



Zinc Spray

- > Zinc Spray provides excellent protection for welded seams when repairing bodywork
- > Creates a quick drying, self-sealing coating
- > Acts as an excellent primer for most paint systems
- > Helps slow down corrosion of iron and steel



* : GB, DE, NL, FR, ES, PT, IT, PL, EE, FI, DK, NO, SE, GR, HR, TR, RU/UA, KZ, IL, CZ, HU, GCC



Glass Cleaner

- Second Second
- > Balanced formula resists fogging
- > Powerful cleaners remove mud, insects and bird droppings
- > Solvents effectively remove stubborn oil and road grime

500 ML VE54060 *

 : GB, DE, NL, FR, ES, PT, IT, PL, EE, FI, DK, NO, SE, GR, HR, TR, RU/UA, KZ, IL, CZ, HU, GCC




Proshine Wax

- > Proshine Wax offers cleaning and high-gloss shine in one easy application
- > High-quality waxes deliver a high-gloss shine
- > Durable formula for lasting protection
- > Easy to apply and remove
- > Ideal for cars, trucks and motorcycles

500 ML

VE54280 *





Cooling System Cleaner

- > Removes and binds all oil and fat containing residues. Also permeates and removes sludge and corrosion residues from the cooling system.
- > Prevents early contamination of the new coolant due to leftover residue or sludge in the cooling system.

Please consult Product Information sheet for application instructions

250ML - GB, DE, NL, FR	882659
250ML - NO, SE, FI, DK	882660
250ML - IT, ES, PT, HR	882661
250ML - RU, PL, EE, CZ	882813



Cooling System Stop Leak

- > Valvoline Cooling System Stop Leak has an instant effect after application.
- > Effectively prevents coolant loss by sealing hairline cracks in the radiator and preventing sealant sweating. Does not block the cooling channels.
- Please consult Product Information sheet for application instructions

350ML - GB, DE, NL, FR	882662
350ML - NO, SE, FI, DK	882663
350ML - IT, ES, PT, HR	882664
350ML - RU, PL, EE, CZ	882814



Petrol System Cleaner

- > Concentrated cleaning agent that cleans the fuel system from the tank to the combustion chamber. Effectively removes deposit and resins.
- > Cleans injection valves to ensure optimal engine performance.
- Please consult Product Information sheet for application instructions

350ML - GB, DE, NL, FR	882677
350ML - NO, SE, FI, DK	882678
350ML - IT, ES, PT, HR	882679
350ML - RU, PL, EE, CZ	882819



Petrol System Protector

- > Effectively cleans all components of the fuel system that come in contact with fuel. E.g. fuel lines, injectors, cylinders, combustion chambers and spark plugs. It prevents the build-up of harmful deposits inside the engine.
- > Special inhibitors prevent corrosion inside the fuel system.
- Please consult Product Information sheet for application instructions

350ML - GB, DE, NL, FR	882680
350ML - NO, SE, FI, DK	882681
350ML - IT, ES, PT, HR	882682
350ML - RU, PL, EE, CZ	882820

GREASES 22



Multipurpose Synthetic 2

- > High performance lithium complex grease formulated with synthetic base oil and enhanced with extreme pressure additives.
- > The product is mechanically very stable and endures very low temperature conditions.

400 gram	882603
18 kg	882644



Multipurpose Complex Red 2

- > High performance lithium complex grease formulated with extreme pressure properties and enhanced with a red color to enable easy verification on the applied parts.
- > The product endures a wide temperature range, is mechanically very stable and due to its tacky consistency has premium stay-inplace properties.

400 gram	882587* / 882588**
18 kg	882639
50 kg	882598
180 kg	882612

- * : GB, DE, NL, FR, ES, PT, IT, GR, IL, TR, CZ, HU, SRB/MNE, HR ** : GB, PL, EE, FI, DK, NO, SE, LT, LV, RU/AU, KZ, SI, SK, BG



Multipurpose Lithium EP 2

- > High quality multipurpose lithium grease enhanced with extreme pressure additives to lubricate and protect even in heavy loaded applications.
- > The product protects against rust and corrosion and has good oxidation stability properties.

400 gram	882584	
18 kg	882637	
50 kg	882596	
180 kg	882610	



Multipurpose Moly 2

- > High performance lithium grease enhanced with molybdenum disulphide for heavy load applications.
- > The product protects against rust, corrosion and oxidation.
- > Good mechanical stability and superior antifriction properties help protecting in sliding and vibrating applications where metal-tometal contact takes place.

400 gram	882589* / 882590**
18 kg	882640
50 kg	882599
180 kg	882613

* : GB, DE, NL, FR, ES, PT, IT, GR, IL, TR, CZ, HU, SRB/MNE, HR ** : GB, PL, EE, FI, DK, NO, SE, LT, LV, RU/AU, KZ, SI, SK, BG



Copper Compound

- > An anti-seize assembly product, which can be used over a wide temperature range from -30°C to +1200°C. Use on screw threads and other mating surfaces to prevent seizure from rust and / or high temperatures
- > It may be applied up to 12 months prior to requirement
- > Copper Compound ensures excellent lubrication
- > Guards against fretting and scuffing

500 gram VE	5301
-------------	------



Multipurpose Lical 2/3

- > High performance universal lithium and calcium grease formulated with extreme pressure properties.
- > The product ensures excellent water resistance and protection against rust and corrosion.

400 gram	882602
18 kg	882643
50 kg	882631
180 kg	882615



White Grease

- > White Grease penetrates tiny crevices, forming a lubricating grease that stays exactly where it's sprayed
- > Suitable for all metal-to-metal applications
- > Non-hardening, non-dripping and nonstaining formula
- > Water and heat resistant
- > Fights rust and corrosion

400 ML 750530 *

COOLANTS & AIRFILTER PRODUCTS





Air Filter Oil

- > Provides clean inlet air to protect the engine against wear and tear
- > Penetrates filter element to reach, suspend contaminants
- > Helps extend the life of the filter
- > Easily washes out of dirty filter with Valvoline Air Filter Cleaner and water

L VE885



Air Filter Cleaner

- > A special fluid, developed for cleaning foam-rubber airfilters
- > The composition of the product contains specially selected cleaning agents, solvents, and several additives, that give the product excellent properties, like;
 - high cleaning and emulsifying ability
 - maximum penetration ability
 - excellent removal of dirt and sand

5 L VE90630



MaxLife Coolant 50/50 Ready-to-Use

- > For both new and higher mileage motorcycles
- > Formulated to maximise protection against scale formation and system deposits
- > Protects seals, gaskets and aluminum materials
- > lubricates seals, hoses and pumps to prolong life.
- > Long-life formula (five years)

1 L	808510
5 L	808509



Tectyl 190 Black

> Ideal protection against corrosion and abrasive damage in automotive applications. Tectyl 190 is fast drying and can be painted over. A black rubber-resin-based compound, the product cures to a firm, resilient and tough film

500 MI

VE20000



Tectyl 190 Grey

> Ideal protection against corrosion and abrasive damage in automotive applications. Tectyl 190 is fast drying and can be painted over. A grey rubber-resin-based compound, the product cures to a firm, resilient and tough film

500 ML

VE20010



Tectyl Multi Purpose 506

As a general purpose corrosion inhibitor, Tectyl Multi Purpose 506 cannot be beaten. A powerful waterdisplacing compound, it is suitable for a wide range of applications, such as motorcycle rust proofing, as well as the protection of parts in storage. Tectyl Multi Purpose 506 cures to an amber colored, waxy, transparent, firm film

400 ML

VE20086

TECTYL ANTI CORROSION PRODUCTS







Hand Cleaner

- > A highly effective, fast-acting hand cleaner
- > Easily removes grease, tar, ink, adhesive and paint
- > Pure, fresh smelling natural citrus scent
- > Fortified with Aloe Vera extracts and jojoba oil

Hand Cleaner 4,5 L	VE59020
Dispenser Hand Cleaner	VE91393

PRODUCT OVERVIEW

FOUR-STROKE ENGINE OILS		1L	4L		60L	208L
FUUR-STRUKE ENGINE UILS	CupPower 4T 10W FO	862067	79601	7 7	96016	796015
	SynPower 4T 10W-50					
	SynPower 4T 10W-40	862066	VE1400		61866	VE14018
	SynPower 4T 10W-30	861911	86187	0 8	61867	861869
	SynPower 4T 5W-40	862060	-		-	-
	DuraBlend 4T 10W-40	862061	VE1420)7 VE	14217	VE14218
	DuraBlend 4T 15W-50	879997	-		-	-
	DuraBlend 4T 20W-50	862063	-	8	82006	732928
	Motorcycle Oil 4T 10W-40	873812	-		-	-
	Motorcycle Oil 4T 20W-50	879962	-		-	-
TWO-STROKE ENGINE OILS		1L	4L		60L	208L
	SynPower 2T	862065	-		-	-
	Racing 2T Blue	867952	-		-	-
	DuraBlend 2T	862010	-		-	-
	DuraBlend Scooter 2T	862064	-		-	-
FORK OILS		1L	4L	4L 60L		208L
	SynPower Fork Oil 5W	795859	-		-	-
	SynPower Fork Oil 10W	795860	-		-	-
	SynPower Fork Oil 15W	795881	-		-	-
CHAIN LUBRICATION		100 ML	400 ML	500 ML	1 L	5 L
	White Synthetic Chainlube	VE54321*	VE54322**	-	-	-
	Chain & Cable Lube	-	VE921	-	-	-
BRAKE & CLUTCH FLUIDS		100 ML	400 ML	500 ML	1 L	5 L
	Brake & Clutch Fluid DOT 5.1	-	-	-	VE58024	-
	Brake & Clutch Fluid DOT 4	-	-	841592	841593	841594
	Brake & Clutch Fluid DOT 3	-	-	841201	841202	841203
BIKE CARE - MAINTENANCE		100 ML	400 ML	500 ML	1 L	5 L
	Brake Cleaner	-	-	745935* / 745936**	-	-
	Carburettor Cleaner	-	-	VE54100*	-	-
	Engine Cleaner	-	-	VE54240*	-	-
	Clean Tronic	-	750703*	-	-	-
	Multi Spray	_	VE54330*	-	-	-
	High Pressure Lubricant + PFTE	_	-	VE54140*	_	_
	mgii i rossaro Labricant + i i iL			VLOT140	-	-

 $[\]ensuremath{^*}$ be aware of different versions

KEEPING THE WORLD MOVING SINCE 1866™

BIKE CARE - CLEANING		100 ML	400 ML	500 M	L 1	L	5 L	
	Penetrating Oil	-	750386*	-	-	•	-	
	Copper Spray	-	750454*	-	-		-	
	Motor Start	-	- 752591*		-		-	
	Silicone Spray	-	750511*	-			-	
	Cockpit Spray	-	750586*				-	
	Zinc Spray	-	750590*	-	-		-	
	Glass Cleaner	-	-	VE5406	0* -		-	
	Proshine Wax	-	-	VE5428	0*		-	
SERVICE ADDITIVES		GB, DE, NL, FR	NO, SE,	FI. DK	IT, ES, PT, HR		RU, PL, EE, CZ	
	Cooling System Cleaner	882659	8826		882661		882813	
	Cooling System Stop Leak	882662	882663		882664		882814	
	Petrol System Cleaner	882677	882678		882679		882819	
	Petrol System Protector	882680	882681		882682		882820	
		55255	-		******			
GREASES		400 ML	400 gr	500 gr	18 kg	50 kg	180 kg	
	Multipurpose Synthetic 2	-	882603	-	882644	-	-	
	Multipurpose Complex Red 2	- 8	82587*/882588**	-	882639	882598	882612	
	Multipurpose Lithium EP 2	-	882584	-	882637	882596	882610	
	Multipurpose Moly 2	- 8	82589*/882590**	-	882640	882599	882613	
	Multipurpose Lical 2/3	-	882602	-	882643	882631	882615	
	White Grease	750530*	-	-	-	-	-	
	Copper Compound	-	-	VE5301	-	-	-	
COOLANTS		400 ML	F00	NAI.	1 L		5 L	
GUULAN15	Air Filter Oil	400 IVIL	500 ML - -		VE885		5 L	
		-					- VE00620	
	Air Filter Cleaner Max Life Coolant 50/50 RTU	-			- 808510		VE90630 808509	
	Wax Life Coolant 50/50 KTO	-	-		000010		000009	
TECTYL - ANTI CORROSION PRODUCTS		400 ML	500	ML	1 L		5 L	
	Tectyl 190 Black	-	VE20000		-		-	
	Tectyl 190 Grey	-	VE20	010	-		-	
	Tectyl Multi Purpose	VE20086	-		-		-	
HAND CLEANER			Size		Ma	terial numb	er	
	Hand Cleaner	4,5 L			VE59020			
	Hand Cleaner dispenser		-			VE91393		
	The state of the s					. 20 . 000		

^{*} be aware of different versions

NOTES



KEEPING THE WORLD MOVING SINCE 1866^{TM}

Motorcycle Product Catalog

MORE PRODUCTS

Do not forget to check out our other product catalogs!







VALVOLINEEUROPE.COM



The Trademark of Valvoline or its subsidiaries, registered in various countries © 2017-2018, Valvoline.

The information presented in this brochure is believed to be accurate and reliable. However, because the conditions and methods of use of the products are beyond Valvoline's control, Valvoline cannot assume any responsibility for performance or results obtained through the use of the products herein described. It shall be the responsibility of the user to determine the suitability of any of the products mentioned for the user's specific use. Valvoline's sole warranty is that the products shall at the time of delivery conform to the technical specifications in effect at the time of shipment. Any warranties that may be applicable pursuant to any laws or regulations, including any warranties of fitness for a particular purpose or merchantability, are expressly excluded. Unless expressly agreed otherwise, Valvoline's liability with regard to non-conforming products will be limited to the replacement value. Statements or suggestions concerning the possible use of the products described herein are made without representation or warranty that any such use is free of patent infringement and are not recommendations to infringe any patent. Although every care is taken to ensure accuracy and completeness in compiling these data, no liability can be accepted for damage or loss caused by any errors or omissions in the information given.