

# TECHNICAL SPRAYS FOR WORKSHOPS



KEEPING THE WORLD MOVING SINCE 1866™

Valvoline™

# TECHNICAL SOLUTIONS

Valvoline offers a great range of high quality technical sprays that work as problem solvers. From maintenance products and cleaners to tools for dismantling and assembly. These are essential products any workshop must have.



## CAR CARE

### Valvoline Cockpit Spray Foam

High quality cockpitspray to clean, protect and embellish the dashboard and other plastic parts in the car.

#### PRODUCT CHARACTERISTICS

- Waterbased foam
- Excellent cleansing properties
- Leaves no residue, not even on windscreens
- Antistatic
- Subtle scent



### Valvoline Airco Refresher

High quality effective spray to refresh the air conditioning and air circulation system in vehicles.

#### APPLICATIONS

- Vehicles; Machinery; Conveyer belts;
- Agricultural Machinery; Drill; Presses;
- Concrete mixers; Lathes; Lawn mowers;
- Generators; Compressors; Forklift trucks;
- Pumps; Milling machines

#### PRODUCT CHARACTERISTICS

- Very easy to apply
- Very effective
- Subtle orange scent



## PROTECTION

### Valvoline V-Belt Spray

High quality spray to protect V-Belts and to treat and prevent slipping.

#### APPLICATIONS

Vehicles; Machinery; Conveyor belts; Agricultural Machinery; Drill; Presses; Concrete mixers; Lathes Lawn mowers; Generators; Compressors; Forklift trucks; Pumps; Milling machines

#### PRODUCT CHARACTERISTICS

- Remedies and prevents slipping and creaking
- Excellent adhesion
- Lasting protection
- Dilatant
- Resistant to weather influences
- Conditions V-Belts
- Delays the wear of V-Belts
- Directed jetspray



### Valvoline Silicone Spray

High quality silicone spray to lubricate and protect plastic or rubber parts.

#### APPLICATIONS

Door rubbers; Creaking plastic parts; Dashboards; Bumpers; Sunshine roofs; Rails (caravan, blinds); Sliding doors; Saw blades; Remove agents for moulds

#### PRODUCT CHARACTERISTICS

- Excellent adhesion
- Water-repellent
- Prevents freezing and drying out of rubber parts
- Prevents creaking and squeaking of plastic parts
- Outstanding mechanical and thermal stability
- Resistant to weather influences
- Resistant to weak acids and bases
- Directed jetspray



### Valvoline Electro Protect

High quality electro protector to prevent starting problems caused by moisture.

#### APPLICATIONS

Switches; Spark; Plugs; Batteries; Printed Circuit Board Switches; Multiple sockets; Distributor caps; Cables; Fuses; Electric tools; Plugs; Electric systems, which should be protected for moisture

#### PRODUCT CHARACTERISTICS

- Water-repellent
- Moisture repellent
- Good penetrating properties
- Excellent adhesion
- Excellent corrosion prevention
- Resistant to water, salt and weak acids and bases



## LUBRICATION

### Valvoline PTFE Dry

High quality dry, surface lubricant to treat mechanical parts of metal and plastic, where no residues of oil or grease are desired.

#### APPLICATIONS

Rails; Folding Roofs; Door locks; Safety belts; Zippers; Wipers; Towing hooks; Seat rails; Oven hinges; Window rails

#### PRODUCT CHARACTERISTICS

- No residues of oil or grease (dry film)
- Very low friction factor
- Excellent adhesion
- Prevents wear and sticking
- Suitable for parts which are liable to light load and low speed
- Resistant to weather influences
- Suitable as release agent for moulds, where the use of silicones is not desired
- Directed jetspray



### Valvoline Multi Spray

High quality universal oil to lubricate, protect and clean parts of metal and plastic.

#### APPLICATIONS

Chains liable to light load; Fastenings; Locks; Tools; Garden Tools; Machinery; Fasteners (screws, bolts and nuts); Motions; Pedals; Hometrainer; Skelers, Skates, Skateboards

#### PRODUCT CHARACTERISTICS

- Good penetrating properties
- Moisture repellent
- Removes oil, grease, wax, underbody coating and tar
- Cleansing effect
- Corrosion preventive
- Directed jetspray
- After cleaning, a protective film remains



### Valvoline PTFE Spray

High quality lubricant to treat mechanical parts of metal and plastic.

#### APPLICATIONS

Chains; Gear wheels; Door hinges; Industrial vacuum pumps; Rails; Conveyors; Sliding door guides; Fastenings; (Agricultural) Machinery; Rubber/Seals

#### PRODUCT CHARACTERISTICS

- Outstanding mechanical and thermal stability
- Very low friction factor
- Excellent adhesion
- Prevents wear and sticking
- Resistant to weather influences
- Resistant to weak acids and bases
- Fine structure (particle size approximately 5 micrometer)
- Water-repellent
- Directed Jetspray



### Valvoline Synthetic Chain Lube

High quality synthetic chain lube. The chain lube has an excellent lubrication behavior. Especially suitable for high-speed chains.

#### APPLICATIONS

For all types of (high speed) chain drives such as bicycles, motorcycles and mopeds.

#### PRODUCT CHARACTERISTICS

- Low friction factor for minimal resistance
- Water-repellent
- Prevents wear
- Resistant to weather influences
- Reduces the adhesion of dirt



### Valvoline White Grease

High quality spray grease to lubricate mechanical parts of metal or plastic.

#### APPLICATIONS

Metal to metal connections; Roller bearings; Metal to plastic connections; Sliding bearings; Door hinges; Ball bearings; Springs Stabilization rubbers; Shock absorbers; Worm wheels

#### PRODUCT CHARACTERISTICS

- Outstanding mechanical and thermal stability
- Excellent adhesion
- Prevents wear and sticking
- High viscosity
- Resistant to weather influences
- Resistant to weak acids and bases
- Excellent corrosion prevention
- Water-repellent
- Contains PTFE (polytetrafluorethen)
- Directed jetspray



### Valvoline Industrial Chain Grease

High quality spray to lubricate chain-driven transmissions, which are liable to heavy load.

#### APPLICATIONS

Chains; Chain driven transmissions, liable to heavy load; Conveyors

#### PRODUCT CHARACTERISTICS

- To be processed like oil, with the properties of grease
- Outstanding mechanical and thermal stability
- Good adhesion
- Dilatant
- Prevents wear and sticking
- Resistant to weather influences
- Resistant to weak acids and bases
- Water-repellent
- Directed jetspray



**Valvoline Glass Cleaner**

High quality spray to clean windscreens and mirrors.

**APPLICATIONS**

Windows (glass and plastic); Mirrors; Whiteboards; Counters; Furniture

**PRODUCT CHARACTERISTICS**

- Cleaning and de-greasing foam
- High dissolving properties



**Valvoline All Purpose Cleaner**

High quality citrus cleaner to remove grease, tar, oil, wax, ink, resin, stickers and residues of glue from parts of treated and untreated metal, wood, stone and various types of plastic.

**APPLICATIONS**

Machine Parts; Garden Tools; Garden Furniture; Wooden Parts; (Car) Windows; Floors and walls; Axles

**PRODUCT CHARACTERISTICS**

- High dissolving properties
- Leaves no residue
- Slow evaporation
- Non-corrosive



**Valvoline DPF Cleaner**

Tool to loosen and remove ash deposits in diesel-particle filter systems, without disassembly.

**APPLICATIONS**

Diesel-particle filter systems

**PRODUCT CHARACTERISTICS**

- Fast-acting
- Free from solvents
- Non-corrosive
- Non-flammable



**Valvoline Contact Cleaner**

High quality spray to clean electrical contacts.

**APPLICATIONS**

Switches; Batteries; Contact Points; Printed Circuit Board Switches; Multiple Sockets

**PRODUCT CHARACTERISTICS**

- Powerful jetspray
- High dissolving properties
- Leaves no residue
- Non-conductive
- Non-corrosive



**Valvoline Industrial Cleaner**

High quality universal cleaner to remove a-polar and polar contaminations from parts, treated and untreated, of metal and various types of plastic.

**APPLICATIONS**

Bearings; Machine Parts; Gear Wheels; Garden Tools; Locks; Garden Furniture; Cylinders; Wooden Parts; Rails; Axles; (Car) Windows; Fastenings; Floors and walls

**PRODUCT CHARACTERISTICS**

- Powerful jetspray
- High dissolving properties
- Leaves no residue
- Fast evaporation
- Non-conductive
- Non-corrosive



**Valvoline Carburettor Cleaner**

High quality cleaner for the interior and the exterior of carburetors and valves, without disassembly.

**APPLICATIONS**

Carburetors; Valves

**PRODUCT CHARACTERISTICS**

- Directed jetspray
- High dissolving properties
- Leaves no residue
- Non-corrosive



**Valvoline Airco Cleaner**

High quality cleansing foam to condition the air-conditioning in motor vehicles.

**APPLICATIONS**

Air Conditioning

**PRODUCT CHARACTERISTICS**

- Effective cleaning foam
- Subtle scent
- Optimizes the functioning of the air-conditioning
- Prevents malfunction



**Valvoline EGR Cleaner**

High quality exhaust gas recirculation cleaner, to dissolve deposits in Air Intake valve, air intake system, manifold and inlet valves. To restore air flow to engine, improving power and acceleration and reducing exhaust smoke.

**APPLICATIONS**

EGR valve; Air intake system; Manifold; Inlet valve

**PRODUCT CHARACTERISTICS**

- Prevents the deposit of resin
- Fast-acting
- Leaves no residue



**Valvoline Power Brake Cleaner**

High quality brake cleaner with high dissolving properties. Extra pressurized aerosol around 8 bar instead of regular 4 bar.

**APPLICATIONS**

Drum Brakes; Disc Brakes; Brake Linings; Brake Callipers; Brake Shoes

**PRODUCT CHARACTERISTICS**

- Powerful jetspray; ± 8 bar
- Excellent dissolving property
- Leaves no residue
- Non-conductive
- Non-corrosive



**Valvoline Brake Cleaner**

High quality brake cleaner with high dissolving properties.

**APPLICATIONS**

Drum Brakes; Disc Brakes; Brake Linings; Brake Callipers; Brake Shoes

**PRODUCT CHARACTERISTICS**

- Excellent dissolving property
- Leaves no residue
- Non-conductive
- Non-corrosive



**Valvoline Brake Cleaner 5L**

High quality brake cleaner with high dissolving properties. To process with the special alu pressure can.

**APPLICATIONS**

Drum Brakes; Disc Brakes; Brake Linings; Brake Callipers; Brake Shoes

**PRODUCT CHARACTERISTICS**

- Excellent dissolving property
- Leaves no residue
- Non-conductive
- Non-corrosive



**Valvoline Brake Cleaner 25L**

High quality brake cleaner with high dissolving properties. To process with the an alu pressure can.

**APPLICATIONS**

Drum Brakes; Disc Brakes; Brake Linings; Brake Callipers; Brake Shoes

**PRODUCT CHARACTERISTICS**

- Excellent dissolving property
- Leaves no residue
- Non-conductive
- Non-corrosive



## TOOL

### Valvoline Motor Start

High quality tool for starting problems with internal combustion engines.

#### APPLICATIONS

Diesel engines; Petrol engines

#### PRODUCT CHARACTERISTICS

- Fast-acting
- Ether-based
- Misty spray pattern



### Valvoline Leak Detector Spray

High quality spray to trace leakages in gas pipes, tyres, etc.

#### APPLICATIONS

Compressors; Gas pipes; Air pipes; Tyres

#### PRODUCT CHARACTERISTICS

- DVGW certified
- Non-flammable
- Can be removed with water
- Non-corrosive
- Environment-friendly
- Slightly foaming
- Slightly basic
- High yield



### Valvoline Zinc Spray

High quality zinc spray to treat galvanised and untreated steel.

#### APPLICATIONS

Galvanised and untreated steel

#### PRODUCT CHARACTERISTICS

- Fast drying
- Good filling property
- Outstanding cathodic corrosion prevention
- Resistant to petrol, chemicals and weather influences
- Spot-weldable
- Excellent adhesion



### Valvoline Gasket Remover

High quality spray to fast and easily remove dried adhesives and seals, as well as hardened sealing material from car and machine parts.

#### APPLICATIONS

Cylinder Heads; Gear Boxes; Exhausts; Crankcases; Sanitary Fittings; Water and oil pumps; Electro engines

#### PRODUCT CHARACTERISTICS

- User-friendly
- High dissolving properties
- Optimum effect in view of high viscosity
- Non-conductive
- Slight gel structure
- Non-corrosive
- Directed jetspray



### Valvoline Cut & Drill Lube

High quality oil to prevent overheating of metals in cutting and drilling activities.

#### APPLICATIONS

Cutting; Sawing; Turning; Milling; Drilling

#### PRODUCT CHARACTERISTICS

- Protects and lubricates the tool
- Reduces wear of the tool
- Silicone-free
- Non-corrosive



## ASSEMBLY

### Valvoline Vaseline Spray

High quality transparent, universal lubricant and preservative.

#### APPLICATIONS

Battery poles; Audio controls; Fasteners (screws, bolts, nuts and nails); Antennas; Electrical Connections; Protection for ultra light material (ultra light planes, wind turbines)

#### PRODUCT CHARACTERISTICS

- Water-repellent
- Excellent adhesion
- Prevents wear and sticking
- Can be used in the food industry
- Resistant to weather influences
- Resistant to weak acids and bases
- Excellent corrosion prevention
- Misty spray pattern



### Valvoline Copper Spray

High quality spray with an extra high copper content to prevent wear and sticking of screwed connections which are exposed to very high temperatures.

#### APPLICATIONS

Brake parts; Exhaust parts; Screwed connections, which are exposed to high temperature; Battery Poles; Thread of Spark Plugs

#### PRODUCT CHARACTERISTICS

- High thermal stability
- Resistant to chemicals and weather influences
- Corrosion preventive
- Excellent adhesion
- Prevents wear and sticking
- Simplifies the future removal
- Directed jetspray



### Valvoline Penetrating Oil

High quality effective spray to loosen rusted parts.

#### APPLICATIONS

Fastenings Tools; Screwed connections; Rails; Gear wheels; Chains; Locks; Garden tools; Fasteners (screws, bolts and nuts); Reels

#### PRODUCT CHARACTERISTICS

- Good penetrating properties
- Contains graphite and MoS<sub>2</sub>
- Moisture repellent
- Corrosion preventive
- Powerful jetspray



### Valvoline Glue Spray

High quality glue for both permanent and temporary adhesion. Suitable to glue paper, cardboard, wood, textile and various types of plastic.

#### APPLICATIONS

Paper; Cardboard; Wood; Textile; Cork; Leather; Various types of plastic

#### PRODUCT CHARACTERISTICS

- Suitable to glue large surfaces
- Fast drying
- User-friendly
- Spray pattern about 10 cm wide



### Valvoline Ceramic Grease

High quality metal-free ceramic grease, to treat parts which are liable to heavy workload and/or which are exposed to very high temperatures.

#### APPLICATIONS

ABS brake systems; Lambda sensors; Brake parts; Exhaust parts; Screwed connections, which are exposed to high temperature; Industrial ovens

#### PRODUCT CHARACTERISTICS

- Protects against electrolytic corrosion
- Resistant to chemicals and weather influences
- Resistant to water, salt and weak acids and bases
- Excellent adhesion
- Prevents wear and sticking
- Extremely suitable to mount ABS brake systems and lambda sensors
- High thermal stability
- Directed jetspray
- Simplifies the future removal



**Val-Int d.o.o.**

Ul. Dr. Franje Tuđmana 59  
10431 Sveta Nedelja

Tel: +385 (0)1 3373 112  
Fax: +385 (0)1 3373 111  
E-mail: [info@val-int.hr](mailto:info@val-int.hr)

[www.val-int.hr](http://www.val-int.hr)



**KEEPING THE WORLD MOVING SINCE 1866™**

OFFICIAL PARTNER OF MANCHESTER CITY  
PREMIER LEAGUE CHAMPIONS 2017/18